UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/567,634	02/08/2006	Dieter Guldenfels	031529.00106	1297	
	26712 7590 11/30/2009 HODGSON RUSS LLP			EXAMINER	
THE GUARANTY BUILDING			DEUBLE, MARK A		
SUITE 100	140 PEARL STREET SUITE 100		ART UNIT	PAPER NUMBER	
BUFFALO, NY 14202-4040			3651		
			MAIL DATE	DELIVERY MODE	
			11/30/2009	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

REPLY BRIEF NOTED

The reply brief filed September 23, 2009 has been entered and considered. The

Application has been forwarded to the Board of Patent Appeals and Interferences for decision on

the appeal.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mark A. Deuble whose telephone number is (571) 272-6912.

The examiner can normally be reached on Monday through Friday except for alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Gene O. Crawford can be reached on (571) 272-6911. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

//Mark A. Deuble//

Primary Examiner, Art Unit 3651

md